

AD-A048 319

FEDERAL COBOL COMPILER TESTING SERVICE WASHINGTON D C
COBOL COMPILER VALIDATION SUMMARY REPORT.(U)
JAN 78

F/G 9/2

UNCLASSIFIED

FCCTS/CCVS74-VSR275

NL

1 OF 1
AD
A048319

TELETYPE UNIT

TOTAL
LARGE
CAPITAL
TOTAL
LARGE

JANUARY 1971

100

END
DATE
FILMED


2-78

DDC

AD A 048319


**FEDERAL
COBOL
COMPILER
TESTING
SERVICE**

**VALIDATION
SUMMARY
REPORT**



Department of the Navy
(ADPESO)

Washington, D.C.
20376



DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

ACCESSION NO.	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Soft Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. CODE/SPECIAL
A	

10

6 COBOL COMPILER
VALIDATION SUMMARY REPORT

14 FCCTS/

VALIDATION NUMBER CCVS74-VSR275

11 6 Jan 78

12 70¢.

Prepared By:

FEDERAL COBOL COMPILER TESTING SERVICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376

DDC
RECEIVED
JAN 12 1978
RECEIVED

- A -

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

Spec

408438

BIBLIOGRAPHIC DATA SHEET		1. Report No. CCVS74-VSR275 ✓	2.	3. Recipient's Accession No.	
4. Title and Subtitle Validation Summary Report # <u>CCVS74-VSR275</u> (Assigned by Manager CDC CYBER NOS/BE 1.2, COBOL 5.1 of Testing)				5. Report Date 6 JAN 1978	
7. Author(s) Same as organization - see 9.				8. Performing Organization Report No.	
9. Performing Organization Name and Address Federal COBOL Compiler Testing Service Department of the Navy Washington, D. C. 20376				10. Project/Task/Work Unit No.	
12. Sponsoring Organization Name and Address Automatic Data Processing Equipment Selection Office Department of the Navy Washington, D. C. 20376				11. Contract/Grant No.	
				13. Type of Report & Period Covered	
15. Supplementary Notes				14.	
16. Abstracts This Validation Summary Report (VSR) for the <u>CDC CYBER</u> <u>COBOL</u> Compiler Version <u>5.1</u> RL <u>46Q</u> NOS/BE <u>Version 1.2</u>) provides a consolidated summary of the results obtained from the validation of the subject compiler against the <u>1974</u> COBOL Standard (X3.23-19 7 ⁴ /FIPS PUB 21-1). The compiler was validated at the <u>high</u> level of FIPS PUB 21-1. The VSR is made up of several sections showing the discrepancies found. These include an overview of the validation which lists all categories of discrepancies by level/module within X3.23-19 , a section relating the categories of discrepancies to each of the Federal levels of the language; and a detailed listing of discrepancies together with the tests which were failed.					
17. Key Words and Document Analysis. 17a. Descriptors Programming Languages Standards Compilers COBOL Verifying Proving Program Correctness Software Engineering 17b. Identifiers/Open-Ended Terms CCVS CVS 17c. COSATI Field/Group 09/02					
18. Availability Statement Release unlimited.				19. Security Class (This Report) UNCLASSIFIED	
				20. Security Class (This Page) UNCLASSIFIED	
				21. No. of Pages	
				22. Price	

COBOL COMPILER VALIDATION

1. Validation Number	CCVS74-VSR275
2. Vendor	Control Data Corporation
3. Mainframe	CYBER 74
4. Compiler Identification	COBOL 5.1, Release Level 460 with SORT 4.5, Release Level 460
5. Operating System Identification	NOS/BE 1.2, Release Level 454
6. Compiler Validation System Version Number	CCVS74 2.0
7. Federal Information Processing Standard Publication	21-1

*PLEASE NOTE. The Federal COBOL Compiler Testing Service may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of this validation are only for the purpose of satisfying United States Government requirements, and apply only to the Computer System, Operating System release, and compiler version identified in the VSR. The COBOL Compiler Validation System is used to determine, insofar as is practical, the degree to which the subject compiler conforms to the Federal COBOL Standard. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

For information concerning this compiler you can contact the vendor's designated representative named below:

Mr. W. M. Kane
Control Data Corporation
6003 Executive Boulevard
Rockville, Maryland 20852

TABLE OF CONTENTS

SECTION 1.	INTRODUCTION	1
1.1	Purpose of the Validation Summary Report	1
1.2	Preparation of the VSR	1
1.3	Organization of the VSR	1
1.4	Abstract Covering Compliance to ANS COBOL	2
1.5	Federal Standard COBOL	5
1.6	Use of the VSR	7
1.7	Sources of Additional Information	8
1.8	Requests for Interpretation	8
1.9	Modules and Language Elements Excluded from Testing	8
1.10	Timeliness of the Validation Summary Report	9
SECTION 2.	DETAILED EVALUATION OF ERRORS	10
2.1	Nucleus Level 1	12
2.2	Nucleus Level 2	17
2.3	Table Handling Level 1	20
2.4	Table Handling Level 2	21
2.5	Sequential I-O Level 1	22
2.6	Sequential I-O Level 2	24
2.7	Relative I-O Level 1	25
2.8	Relative I-O Level 2	27
2.9	Indexed I-O Level 1	28
2.10	Indexed I-O Level 2	30
2.11	Sort-Merge Level 1	31
2.12	Sort-Merge Level 2	32
2.13	Report Writer Level 1	33
2.14	Segmentation Level 1	35
2.15	Segmentation Level 2	36
2.16	Library Level 1	37
2.17	Library Level 2	38
2.18	Debug Level 1	39
2.19	Debug Level 2	40
2.20	Inter-Program Communication Level 1	41
2.21	Inter-Program Communication Level 2	42
2.22	Communication Level 1	43
2.23	Communication Level 2	44
SECTION 3.	COMPILER STATUS	45
3.1	Federal Standard COBOL	45
3.2	American National Standard COBOL	45
SECTION 4.	SOFTWARE ENVIRONMENT	46
SECTION 5.	ASCII VALIDATION	48
5.1	Purpose of ASCII Validation	48
5.2	Applicable ANSI Standards	48
5.3	ASCII Validation Process	49
5.4	Results for This Validation	49
APPENDIX A -	VALIDATION SUMMARY WORKING DOCUMENT	50

SECTION 1. INTRODUCTION

1.1 Purpose of the Validation Summary Report

The purpose of the Validation Summary Report (VSR) is to identify individual COBOL language elements whose implementation does not conform to American National Standard Programming Language COBOL, X3.23-1974, and to Federal Standard COBOL as adopted from the American National Standard by Federal Information Processing Standard 21-1 (FIPS PUB 21-1).

1.2 Preparation of the VSR

The Validation Summary Report is prepared by analyzing the results of running the COBOL Compiler Validation System (CCVS). The COBOL Compiler Validation System consists of audit routines containing features of Federal Standard COBOL, their related data, and an executive routine (VP-routine) which prepares the audit routines for compilation. Each audit routine is a COBOL program which includes many tests and supporting procedures indicating the result of the tests.

The testing of a compiler in a particular hardware/operating system environment is accomplished by compiling and executing each audit routine. The report produced by each routine tells whether the compiler passed or failed the tests in the routine. If the compiler rejects some language elements by terminating compilation, giving fatal diagnostic messages, or terminating execution abnormally, then the test containing the code the compiler was unable to process is deleted and the audit routine compilation and execution repeated.

The compilation listings and the output reports of the audit routines constitute the raw data from which the members of the Federal COBOL Compiler Testing Service produce a Validation Summary Report.

1.3 Organization of the VSR

The Validation Summary Report is made up of several sections the contents of which are described below.

a. Section 2 summarizes the results of the compilation and execution of the programs comprising the COBOL Compiler Validation System. Section 2 is subdivided into a subsection representing each level of each module defined in American National Standard Programming Language COBOL, X3.23-1974. Each subsection contains a list of all of the language elements which must be implemented in order to claim support of that level/module. The list of language elements will be annotated to include a description of both syntax and semantic errors detected during the validation.

b. Section 3 - FIPS PUB 21-1 defines four Federal levels of the COBOL Standard. Section 3.1 of the VSR lists the discrepancies described in Section 2 by the Federal level in which the problem occurs. Section 3.2 lists discrepancies for the Report Writer Module, which is not a part of Federal Standard COBOL.

c. Section 4 contains information which describes the software environment in which the compiler was tested. This includes the name and version of the operating system; the implementor-names which were used in the Environment

Division of the programs comprising the CCVS; the options used with the compiler; and if applicable, information regarding the use of compiler optimization features.

d. Section 5 contains the results of the ASCII validation. The purpose of these tests is to ascertain whether magnetic tapes written in ASCII code and with ANSI standard labels, and card decks with ASCII code, can be transported between the system being validated and a foreign computer system.

e. Appendix A is the Validation Summary Working Document, a working paper resulting from the compilation and execution of the CCVS, and from which the VSR is derived.

1.4 Abstract Covering Compliance to ANS COBOL

Definition of an Implementation of American National Standard Programming Language COBOL (excerpts from X3.23-1974, Chapter 1, Section 1.5).

An implementation is defined to meet the requirements of the American National Standard COBOL specification if that implementation includes a fully implemented specified level of each of the functional processing modules and of the Nucleus as defined in this Standard. It follows from this that, in order to meet the requirements of this Standard, an implementation must:

a. Not require the inclusion of substitute or additional language elements in the source program, in order to accomplish any part of the function of any of the standard language elements.

b. Accept all standard language elements contained in a given level of a module which is specified as being included in the implementation, except as specifically exempted (as pertaining to specific hardware components for which support is not claimed). See "Elements that Pertain to Specific Hardware Components" below.

These points are of particular pertinence in two areas:

(1) There are throughout the American National Standard COBOL specification certain language elements whose syntax, or effect, is specified to be, in part, implementor-defined. While the implementor specifies the constraints on that portion of each element's syntax or rules that is indicated in this Standard to be implementor-defined, such constraints may not include any requirement for the inclusion in the source program of substitute or additional language elements.

(2) When a function is provided outside the source program that accomplishes a function specified by any particular standard COBOL element, then the implementation must not require, except for Environment Division elements, the specification of that external function in place of or in addition to that standard language element:

The following qualifications apply to the American National Standard COBOL specification:

a. There are certain language elements which pertain to specific types of hardware components. In order for an implementation to meet the requirements of this standard, the implementor must specify the minimum hardware

configuration required for that implementation and the hardware components that it supports. Further, when support is thus claimed for a specific hardware component, all standard language elements that pertain to that component must be implemented if the module in which they appear is included in the implementation. Language elements that pertain to specific hardware components for which support is not claimed, need not be implemented. However, the absence of such elements from an implementation of American National Standard COBOL must be specified.

b. An implementation of American National Standard COBOL may include the ENTER statement or not, at the option of the implementor.

c. An implementation that includes, in addition to a specified level of each of the functional processing modules and of the Nucleus, elements or functions that either are not defined in the American National Standard COBOL specification or are defined in a given level of a standard module not otherwise included in the implementation, meets the requirements of this Standard. This is true even though it may imply the extension of the list of reserved words by the implementor, and prevent proper compilation of some programs that meet the requirements of this Standard. The implementor must specify any optional language (language not defined in a specified level but defined elsewhere in the Standard) or extensions (language elements or functions not defined in this Standard) that are included in the implementation.

d. In general, the American National Standard COBOL specification specifies no upper limit on such things as the number of statements in a program, the number of operands permitted in certain statements, etc. It is recognized that these limits will vary from one implementation of American National Standard COBOL to another and may prevent the proper compilation of some programs that meet the requirements of this standard.

IMPLEMENTOR-DEFINED LANGUAGE SPECIFICATIONS

The language elements in the following lists depend on implementor definitions to complete the specification of the syntax or rules for the elements.

The elements whose syntax is partly implementor-defined are:

Element -----	Implementor-Defined Aspect -----
SOURCE-COMPUTER paragraph	computer-name
OBJECT-COMPUTER paragraph	computer-name
MEMORY SIZE clause	integer
alphabet-name	implementor-name; whether implementor-names are provided.
SPECIAL-NAMES paragraph	implementor-name
ASSIGN clause	implementor-name
VALUE OF clause	implementor-name; whether implementor-names are provided.

RERUN clause	implementor-name and the form; the implementor provides at least one of seven specified forms.
CALL and CANCEL statements	relationship between operand and the referenced program.
COPY statement	relationship between library-name text-name, and the library.
ENTER statement	language-name
Margin R	The location.
Area B	The number of character positions.
Qualification	The number of qualifiers; at least five must be supported.

The elements whose effect is partly implementor-defined are:

Element -----	Implementor-Defined Aspect -----
alphabet-name	The correspondence between native and foreign character sets.
implementor-name switches	Whether setting can change during execution.
USAGE IS COMPUTATIONAL clause	Representation and whether automatic alignment occurs.
USAGE IS INDEX clause	Representation and whether automatic alignment occurs.
SYNCHRONIZED clause	Whether implicit FILLER positions are generated; their effect on the size of group items and redefining items.
ACCEPT statement	Maximum size of one transfer of data in Level 1 Nucleus.
DISPLAY statement	Maximum size of one transfer of data in Level 1 Nucleus.
Numeric test	Representation of valid sign in the absence of the SIGN IS SEPARATE clause.
Comparison of nonnumeric items	Collating sequence, where NATIVE or implementor-name collating sequence is implicitly or explicitly specified.
Arithmetic expressions	Number of places carried for intermediate results.

Elements That Pertain to Specific Hardware Components

The standard language elements in the list that follows pertain to specific types of hardware components. These language elements must be implemented in an implementation of American National Standard COBOL when support is claimed, by the implementor, for the specific types of hardware components to which they pertain, and the module in which they are defined is included in that implementation.

Element -----	Hardware Component -----
CODE-SET clause	Device capable of supporting the specified code.
MULTIPLE FILE TAPE clause	Reel
CLOSE...REEL/UNIT statement	Reel or mass storage
CLOSE...NO REWIND statement	Reel or mass storage
OPEN...REVERSED statement	Reel with the capability of making records available in the reversed order; mass-storage with the capability of making records available in the reversed order.
OPEN...NO REWIND statement	Reel or mass storage
OPEN...I-O statement (Sequential I-O only)	Mass storage
OPEN EXTEND statement	Reel or mass storage
REWRITE statement (Sequential I-O only)	Mass storage
SEND...BEFORE/AFTER ADVANCING statement	Devices capable of vertical positioning; devices capable of action based on mnemonic-names.
USE...I-O (Sequential I-O only)	Mass storage
WRITE...BEFORE/AFTER ADVANCING	Devices capable of vertical positioning; devices capable of action based on mnemonic-name.

1.5 The Federal COBOL Standard

The COBOL compiler validation results enclosed in this document reflect the degree to which the subject COBOL compiler implements the Federal COBOL Standard. The Federal COBOL Standard is essentially the same as the American National Standard Programming Language COBOL, X3.23-1974, with two exceptions:

The Federal COBOL Standard defines 4 levels and the ANSI Standard defines only the minimum COBOL implementation and the full standard. Low and High levels of the Federal COBOL Standard (see 1.5.1) correspond to the above two ANSI levels (minus the Report Writer module). Two additional levels, low-intermediate and high-intermediate have been included in the Federal Standard between the highest and lowest subsets. These additional levels accommodate hardware which cannot support the full standard, but which is capable of implementing more than the minimum standard.

The Federal COBOL Standard states that the Report Writer Module is not mandatory in any Federal level, but that the specifications contained in X3.23-1974 should be used to the extent practical, consistent with requirements.

The Federal COBOL Standard requires that a compiler contain as a minimum the elements specified in at least one of the Federal levels. No restrictions are imposed on the inclusion of selected features from higher levels or even unique vendor extensions. Compatibility among various implementations of a given level containing additional features must be controlled by management imposed standards and restrictions.

1.5.1 Federal Standard COBOL Levels

a. Federal Standard COBOL specifications are the language specifications contained in American National Standard Programming Language COBOL, X3.23-1974. For purposes of the Federal Standard, the modules defined in X3.23-1974 are combined into four levels. Not all computers are large enough to accommodate a COBOL compiler containing the full ANSI Standard. Therefore, the Federal Government requires that all compilers acquired by its agencies contain as a minimum one of the four Federal levels, depending on machine size, configuration and user needs. The knowledge that all computers will support at least one of these four subsets simplifies the task of developing machine-independent COBOL programs.

b. The four levels of Federal Standard COBOL are identified as: Low, Low-Intermediate, High-Intermediate, and High. Each Federal Standard COBOL level is composed of either the high or low levels of the nucleus and ten of the eleven Functional Processing Modules (FPMs) defined in X3.23-1974. The four Federal Standard COBOL levels are reflected in the following table. The numbers in the table refer to the level within the FPM or nucleus as designated in X3.23-1974, and a dash in the table denotes that the corresponding FPM is omitted.

Low Level	Low Inter- mediate Level	High Inter- mediate Level	High Level
--------------	-----------------------------------	------------------------------------	---------------

NUCLEUS	1	1	2	2
FPMs				
TABLE HANDLING	1	1	2	2
SEQUENTIAL I-O	1	1	2	2
RELATIVE I-O	-	1	2	2
INDEXED I-O	-	-	-	2
SORT-MERGE	-	-	1	2
REPORT WRITER	-	-	-	-
SEGMENTATION	-	1	1	2
LIBRARY	-	1	1	2
DEBUG	-	1	2	2
INTER-PROGRAM				
COMMUNICATION	-	1	2	2
COMMUNICATION	-	-	2	2

1.5.2 Conformance to Federal Standard COBOL

A compiler implemented in conformance to Federal Standard COBOL must meet at least the following requirements.

a. The implementation must include all of the language elements of at least one of the levels of Federal Standard COBOL.

b. The implementation must meet all of the requirements defined in American National Standard COBOL, X3.23-1974, Section I, paragraph 1.5, Definition of An Implementation of American National Standard COBOL which is provided in section 1.4 of this VSR.

c. The implementation must provide a facility for the user to optionally specify a level of Federal Standard COBOL for monitoring his source program at compile time. The monitoring will be an analysis of the syntax used in a source program against the syntax included in the specified level of Federal Standard COBOL. Any syntax used in the source program that does not conform to that allowed by the user selected level of Federal Standard COBOL will be diagnosed. The syntax diagnosed as not conforming to the specified level will be identified to the user through a diagnostic message on the source program listing. The diagnostic message will contain, at least: (1) The identification of the source program line number in which the nonconforming syntax occurs, (2) the identification of the level of Federal Standard COBOL that supports the syntax or that the syntax is nonstandard COBOL.

1.6. Use of the VSR

The Federal COBOL Compiler Testing Service may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of the validation are only for the purpose of satisfying United States Government requirements, and apply only to the computer system, operating system release, and compiler version identified in the VSR.

The COBOL Compiler Validation System is used to determine, insofar as is

practical, the degree to which the subject compiler conforms to the COBOL Standard. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

1.7 Sources of Additional Information

FIPS PUB 21-1 defines the Federal COBOL Language Standard. This publication is available from the Office of ADP Standards Management, National Bureau of Standards, Washington, D. C., 20234.

The detailed COBOL language specifications are given in the publication "American National Standard Programming Language COBOL, X3.23-1974", available from the American National Standards Institute, 1430 Broadway, New York, New York 10018.

An explanation of the COBOL Compiler Validation System is contained in the CCVS User's Guide. This document explains how to run the compiler validation system. The User's Guide and a magnetic tape containing a copy of the CCVS programs are available from the National Technical Information Service, Springfield, Virginia, 22151. (Ordering information can be obtained from the Federal COBOL Compiler Testing Service.)

1.8. Requests for Interpretation

Questions regarding this VSR or the CCVS in general should be forwarded to the FCCTS. If any problem cannot be adequately resolved through the FCCTS, the request for interpretation will be forwarded to the Federal COBOL Interpretation Committee for final resolution.

A brochure describing the validation process including the procedures for requesting a validation and resolution of questions involving interpretation of the current Federal Standard is available from the Department of the Navy, Federal COBOL Compiler Testing Service, Washington, D.C. 20376.

1.9 Modules and Language Elements Excluded from Testing

During an official validation, certain CCVS tests may not be used, and certain facilities provided by the subject compiler may not be tested.

1.9.1 Federal Standard COBOL Approved Interpretations

The National Bureau of Standards published in the Federal Register Vol. 41 No. 179, September 14, 1976, an approved interpretation of Federal Standard COBOL as pertains to the evaluation of arithmetic expressions in the COMPUTE statements. This interpretation states that "size of the intermediate result field is implementor-defined."

Since the results of evaluating arithmetic expressions are not predictable, all COMPUTE statements and IF statements containing arithmetic expressions have been removed from the COBOL Compiler Validation System.

1.9.2 Report Writer Module

FIPS PUB 21-1 excludes the Report Writer Module from the Federal COBOL Standard.

However, the Report Writer Module is still tested during a validation if support for that module is claimed by the compiler vendor.

1.9.3 Communication Module

Although it is part of Federal Standard COBOL as defined by FIPS PUB 21-1, the Communication Module is not currently tested in the course of an official validation for two specific reasons. First, a large volume of requests for interpretation on this module have been submitted to the cognizant ANSI committee (X3J4) for resolution. Secondly, facilities for testing were insufficient to determine the validity of the Communication Module test programs during the development of CCVS74.

1.9.4 Vendor Omissions or Extensions

Language elements are not tested which have been legitimately omitted from the implementation by the implementor (refer to 1.4). Additionally, no implementor extensions to the standard COBOL language are tested in any way.

1.10 Timeliness of the Validation Summary Reports

The timeliness of the Validation Summary Report is important. Compilers and their related operating system software are modified several times a year. The Compiler Validation System used to validate compilers is also updated during the life of the system. Therefore to ensure that the latest version of both the vendor's compiler and the Validation System are the latest officially released versions, check with the:

Director
Federal COBOL Compiler Testing Service
Department of the Navy
Washington, D. C. 20376
(202) 697-1247

Please use the Validation Summary Report number of this report when corresponding with the Testing Service.

SECTION 2. DETAILED EVALUATION OF ERRORS.

This section summarizes the results of the compilation and execution of the programs comprising the COBOL Compiler Validation System (CCVS). The version of the CCVS used during this validation is shown inside the front cover of the VSR.

Section 2 is made up of a variable number of subsections. The number of subsections is dependent on the Level of Federal COBOL being validated. There will be a subsection for each level of each module which is validated. If the high level of a module is validated then there will be two subsections for that module; one for the low level and one for the high level.

A validation of the low level of Federal Standard COBOL would result in three subsections being present. One for Nucleus level 1, one for Sequential I-O level 1, and one for Table Handling level 1.

Each error or deviation noted in this section makes reference to a program or functional COBOL module contained in Appendix A (Validation Summary Working Document). This reference provides the documented results of an occurrence of errors/deviations detected during the running of the CCVS using the compiler within the environment identified within this document. The Validation Summary Working Document is presented in sequence by functional module, functional module level and program number as defined below.

Each program in the COBOL Compiler Validation System is identified by a 5-character program name. The name associates the routine with the functional processing module and level of American National Standard Programming Language COBOL tested within the program.

The five character name has the general format XXNMM. The first two characters are alphabetic and identify the functional module tested by the program. The permissible values are:

- NC - Nucleus
- TH - Table Handling
- SQ - Sequential I-O
- RL - Relative I-O
- IX - Indexed I-O
- ST - Sort-Merge
- RW - Report Writer
- SG - Segmentation
- LB - Library
- DB - Debug
- IC - Inter-Program Communication
- CM - Communication

The third character of the audit routine name is either a 1 or 2, and identifies the level of the functional module being tested. Each module and level is represented by several programs. The fourth and fifth characters of the program name are sequence numbers for programs which test features in the same level of the same functional processing module.

As an example, the program name NC210 is the tenth program in the series of routines which test the second level of the Nucleus module.

Description of Section 2.

Each error/deviation is noted by number in the left hand margin opposite the language element in question. This number is used in section 3 to categorize errors by Federal level (See 1.5.1). Inserted directly below the language element is a brief description of the error. To the right of the language element is a page reference to X3.23-1974, American National Standard Programming Language COBOL. The reference at the end of the description of the error is to Appendix A which contains the detailed information collected during the validation. The reference is made up of the routine name followed by an A or B (A for compile time or syntax error and B for execution time or semantic error) and a number which makes the error unique in Appendix A.

Example:

2.1 Nucleus Level 1

```
.  
. Operational symbols: S V P II-21  
. 2.1.9 -----  
      * The scaling character 'P' is not permitted in a  
      * PICTURE character-string.  
      * (NC101.A.2)  
      -----  
.   
.   
.
```

2.2 Sequential I-O Level 1

2.1.9 represents the ninth error for Nucleus Level 1

II-21 represents the page in X3.23-1974 where the language element is defined

* Boxes the description of the error/deviation

NC101.A.2 represents:

```
Program name - NC101  
Syntax error - A  
second error - 2
```

2.1 NUCLEUS LEVEL 1

Language Concepts	I-75
Characters used for words	I-76
0, 1, ..., 9	
A, B, ..., Z	
- (hyphen or minus)	
Characters used for punctuation	I-65
" quotation mark	
(left parenthesis	
) right parenthesis	
. period	
space	
= equal sign	
Characters used in editing.	I-58
B space	
0 zero	
+ plus	
- minus	
CR credit	
DB debit	
Z zero suppress	
* check protect	
\$ currency sign	
, comma	
. period	
/ stroke	
Separators.	I-75
The separators, semicolon and comma, are not allowed	II-1
Character-strings	I-76
COBOL words	I-76
Not more than 30 characters	
User-defined words.	I-76
data-name	
Must begin with an alphabetic character	II-1
Must be unique; may not be qualified. .	II-1
level-number	
mnemonic-name	
paragraph-name	
program-name	
routine-name	
section-name	
System-names.	I-78
computer-name	
implementor-name	
language-name	
Reserved words.	I-79
Key words	
Optional words	
Figurative constants.	I-80
ZERO	
SPACE	
HIGH-VALUE	
LOW-VALUE	
QUOTE	
Special-character words	I-80

Literals.	I-80
Nonnumeric literals have lengths from 1 through 120 characters	
Numeric literals have lengths from 1 through 18 digits	
PICTURE character-strings	I-82
Comment-entries	I-82

2.1.1	
* The contiguous characters "C", "O", "P", and "Y" were parsed	
* and treated as a COPY verb in Identification Division comment-	
* entries.	
* (LB201.A.1, LB202.A.1, LB203.A.1, LB204.A.1, LB205.A.1)	

Reference Format.	I-105
Sequence number	I-105
Area A.	I-105
Division header	I-106
Section header.	I-106
Paragraph header.	I-107
Data Division entries	I-107
Area B.	I-105
Paragraphs.	I-107
Data Division entries	I-107
Continuation of lines	I-106
Only nonnumeric literals may be continued . .	II-1
Comment lines	I-108
Asterisk (*) comment lines	
Stroke (/) comment line	
Identification Division	I-94
The PROGRAM-ID paragraph.	II-3
The AUTHOR paragraph.	II-2
The INSTALLATION paragraph.	II-2
The DATE-WRITTEN paragraph.	II-2
The SECURITY paragraph.	II-2
Environment Division.	I-95
The SOURCE-COMPUTER paragraph	II-5
computer-name	
The OBJECT-COMPUTER paragraph	II-6
computer-name	
MEMORY SIZE clause	
PROGRAM COLLATING SEQUENCE clause	
The SPECIAL-NAMES paragraph	II-8
implementor-name IS mnemonic-name	
implementor-name IS mnemonic-name series	
ON STATUS	
OFF STATUS	
alphabet-name clause	
CURRENCY SIGN clause	
DECIMAL-POINT clause	
Data Division	I-97
Working-Storage Section	II-11
The data description entry.	II-12
The BLANK WHEN ZERO clause.	II-14

The data-name or FILLER clause.	II-15
The JUSTIFIED clause (may be abbreviated JUST).	II-16
Level-number.	II-17
01 through 10 (level numbers must be 2 digits)	II-13
77.	II-11
The PICTURE clause (may be abbreviated PIC)	II-18

2.1.2

* A PICTURE AB9 was flagged as erroneous.

*

(NC114.A.1)

Character-string may contain 30 characters.	II-18
Data characters: A X 9	II-18
Operational symbols: S V P	II-21
Fixed insertion characters.	II-21
0 (may be used only in edited items)	
,	
B (may be used only in edited items)	
.	
\$ (currency sign)	
+ and -	
DB and CR	
/	
Replacement or floating characters.	II-21
\$ (currency sign)	
+ and -	
Z	
*	
Currency sign substitution.	II-21
Decimal point substitution.	II-21
The REDEFINES clause (may not be nested).	II-27
The SIGN clause	II-31
The SYNCHRONIZED clause (may be abbreviated SYNC)	II-33
The USAGE clause.	II-35
COMPUTATIONAL (may be abbreviated COMP)	
DISPLAY	
The VALUE clause.	II-36
literal	
Procedure Division.	I-99
Conditional expressions	II-41
Simple condition.	II-41
Relation condition.	II-41
Relational operators	
[NOT] GREATER THAN	
[NOT] LESS THAN	
[NOT] EQUAL TO	
Comparison of numeric operands.	II-42
Comparison of nonnumeric operands (oper-	
ands must be of equal size)	II-42
Class condition	II-43
NOT option	
Switch-status condition	II-44
The arithmetic statements	II-51
Arithmetic operands limited to 18 digits	
Overlapping operands.	II-51
The ACCEPT statement (only one transfer of data)	II-53
The ADD statement	II-55

	identifier/literal series	
	TO identifier	
	GIVING identifier	
	ROUNDED phrase	
	SIZE ERROR phrase	
	The ALTER statement (only one procedure-name) . .	II-57
	The DISPLAY statement (only one transfer of data)	II-59
2.1.3	-----	
	* Output of DISPLAYed numeric data was edited.	
	* (NC109.B.2, NC158.B.2, NC204.B.2)	

	The DIVIDE statement	II-61
	INTO identifier	
	BY identifier/literal	
	GIVING identifier	
	ROUNDED phrase	
	SIZE ERROR phrase	
	The ENTER statement	II-63
	The EXIT statement	II-64
	The GO TO statement (procedure-name is required)	II-65
	DEPENDING ON phrase	
	The IF statement (statements must be imperative)	II-66
	ELSE phrase	
	The INSPECT statement (only single character	
	data item)	II-68
	TALLYING phrase	
	ALL	
	LEADING	
	CHARACTERS	
	REPLACING phrase	
	ALL	
	LEADING	
	FIRST	
	CHARACTERS	
	TALLYING and REPLACING phrases	
	The MOVE statement	II-74
	TO identifier	
	identifier series	
	The MULTIPLY statement	II-77
	BY identifier	
	GIVING identifier	
	ROUNDED phrase	
	SIZE ERROR phrase	
	The PERFORM statement.	II-78
	procedure-name	
	THRU phrase	
	TIMES phrase	
	The STOP statement	II-85
	literal	
2.1.4	-----	
	* STOP QUOTE statement failed to output a quote mark.	
	* (NC109.B.1, NC158.B.1)	

	RUN	
	The SUBTRACT statement	II-89
	identifier/literal series	
	FROM identifier	

GIVING identifier
ROUNDED phrase
SIZE ERROR phrase

2.2 NUCLEUS LEVEL 2

All elements of 1 NUC 1,2 are a part of 2 NUC 1,2

Language Concepts.	I-75
Characters used for punctuation.	I-65
, comma	
; semicolon	
Characters used for arithmetic operations.	I-52
+ addition	
- subtraction	
* multiplication	
/ division	
** exponentiation	
Characters used in relations	I-66
= equal to	
> greater than	
< less than	
Separators	I-75
The separators, semicolon and comma, are allowed . .	II-1
Character-strings.	I-76
COBOL words.	I-76
User-defined words	I-76
condition-name	
data-name	
Need not begin with an alphabetic character. .	II-1
May be qualified if necessary for uniqueness .	II-1
Reserved words	I-79
Figurative constants	I-80
ZEROS; ZEROES	
SPACES	
HIGH-VALUES	
LOW-VALUES	
QUOTES	
ALL literal	
Connectives	I-79
Qualifier connectives: CF, IN	
Series connectives: , (separator comma)	
and ; (separator semicolon)	
Logical connectives: AND, OR, AND NOT, OR NOT	
Qualification	I-87
Reference format	I-105
Continuation of lines (continuation of words and	
numeric literals is allowed)	II-1
Identification Division.	I-94
The DATE-COMPILED paragraph.	II-4

2.2.1

* Comment-entry was not removed from DATE-COMPILED paragraph.
* (NC203.A.1)

Environment Division	
The SPECIAL-NAMES paragraph.	II-8
alphabet-name clause	
literal	

Data Division	I-97
The data description entry	II-12
Level-number	II-17
01 through 49 (level-numbers may be 1 or 2 digits) .	
66	
88	
The REDEFINES clause (may be nested)	II-27
The RENAMES clause (may be nested)	II-29
data-name	
data-name THRU data-name	
The VALUE clause	II-36
literal-1, literal-2	
literal-1 THRU literal-2	
literal range series	
Procedure Division	I-99
Arithmetic expressions	II-39
Conditional expressions.	II-41
Simple condition	II-41
Relational condition	II-41
Relational operators	
[NOT] =	
[NOT] >	
[NOT] <	
Comparison of nonnumeric operands (operands of	
unequal size are allowed).	II-42
Condition-name condition	II-44
Sign condition	II-44
NOT option	
Complex condition.	II-45
Logical operators AND, OR, and NOT	
Negated simple condition	II-46
Combined and negated combined conditions	II-46
Abbreviated combined relation condition.	II-47
Multiple results in arithmetic statements.	II-51
The ACCEPT statement (no restrictions on the number	
of transfers of data).	II-53
FROM phrase	
The ADD statement.	II-55
TO identifier series	
GIVING identifier series	
CORRESPONDING phrase	
The ALTER statement.	II-57
The series option is allowed	
The COMPUTE statement.	II-58
identifier series	
ROUNDED phrase	
SIZE ERROR phrase	
The DISPLAY statement (no restrictions on the number	
of transfers of data).	II-59
UPON phrase	
The DIVIDE statement	II-61
INTO identifier series	
GIVING identifier series	
REMAINDER phrase	
The GO TO statement (procedure-name may be omitted). .	II-65
The IF statement (nested statements)	II-66

The INSPECT statement (multi-character data items) . .	II-68
series	
The MOVE statement	II-74
CORRESPONDING phrase	
The MULTIPLY statement	II-77
BY identifier series	
GIVING identifier series	
The PERFORM statement.	II-78
UNTIL phrase	
VARYING phrase	
The STRING statement	II-86
DELIMITED series	
POINTER phrase	
ON OVERFLOW phrase	
The SUBTRACT statement	II-89
FROM identifier series	
GIVING identifier series	
CORRESPONDING phrase	
The UNSTRING statement	II-91
DELIMITED BY phrase	
POINTER phrase	
TALLYING phrase	
ON OVERFLOW phrase	

2.3 TABLE HANDLING LEVEL 1

Language Concepts	
User-defined words	I-76
index-name	
Subscripting - 3 levels	I-89
Indexing - 3 levels	I-89
Data Division	
The OCCURS clause	III-2
integer TIMES	
INDEXED BY index-name series	
The USAGE IS INDEX clause	III-5
Procedure Division	
Relation conditions	III-6
Comparisons involving index-names and/or	
index data items	
Overlapping operands	III-6
The SET statement	III-11
index-name/identifier series	
index-name	
UP BY identifier/integer	
DOWN BY identifier/integer	
index-name series	

2.4 TABLE HANDLING LEVEL 2

All elements of 1 TBL 1,2 are a part of 2 TBL 1,2

Data Division

The OCCURS clause III-2
integer-1 TO integer-2 DEPENDING ON data-name
ASCENDING/DESCENDING data-name
data-name series
ASCENDING/DESCENDING series

Procedure Division

The SEARCH statement. III-7
VARYING phrase
AT END phrase
WHEN phrase
The SEARCH ALL statement. III-7
AT END phrase
WHEN phrase

2.5 SEQUENTIAL I-O LEVEL 1

Language Concepts

User-defined words	I-76
file-name	
record-name	
I-O status	IV-1

Environment Division

The FILE-CONTROL paragraph	IV-4
The file control entry	IV-4
SELECT clause	
ASSIGN TO implementor-name clause	
ORGANIZATION IS SEQUENTIAL clause	
ACCESS MODE IS SEQUENTIAL clause	
FILE STATUS clause	
The I-O-CONTROL paragraph.	IV-6
RERUN clause	
SAME AREA clause	
SAME AREA series	

Data Division

File Section	IV-9
The file description entry	IV-10
The record description entry	IV-9
The BLOCK CONTAINS clause.	IV-11
integer CHARACTERS	
integer RECORDS	
The CODE-SET clause.	IV-12

2.5.1

* Run-time loop in program using a file with a CODE-SET clause.
 * (SQ111.B.1)

The DATA RECORDS clause.	IV-13
data-name	
data-name series	
The LABEL RECORDS clause	IV-14
STANDARD	
OMITTED	
The RECORD CONTAINS clause	IV-18
integer-1 TO integer-2 CHARACTERS	
The VALUE OF clause.	IV-19
implementor-name IS literal	
implementor-name IS literal series	

Procedure Division

The CLOSE statement (only a single file-name may appear in a CLOSE statement).	IV-20
REEL	
UNIT	
The OPEN statement (only a single file-name may appear in an OPEN statement).	IV-24
INPUT	
OUTPUT	
I-O	
The READ statement	IV-28
INTO identifier	

AT END phrase	
The REWRITE statement.	IV-31
FROM identifier	
The USE statement.	IV-32
EXCEPTION/ERROR PROCEDURE	
ON file-name	
ON INPUT	
ON OUTPUT	
ON I-O	
The WRITE statement.	IV-34
FROM identifier	
BEFORE/AFTER integer LINES	
BEFORE/AFTER PAGE	

2.6 SEQUENTIAL I-O LEVEL 2

All elements of 1 SEQ 1,2 are a part of 2 SEQ 1,2

Language Concepts

Special register	I-80
LINAGE-COUNTER.	IV-3

Environment Division

The FILE-CONTROL paragraph	IV-4
The file control entry	IV-4
SELECT clause	
OPTIONAL phrase	
RESERVE integer AREA(S) clause	
The I-O-CONTROL paragraph.	IV-6
SAME RECORD AREA clause	
SAME RECORD AREA series	
MULTIPLE FILE TAPE clause	

Data Division

The file description entry.	IV-10
The BLOCK CONTAINS clause	IV-11
integer-1 TO integer-2 RECORDS	
integer-1 TO integer-2 CHARACTERS	
The LINAGE clause	IV-15

2.6.1

* LINES AT BOTTOM clause ignored.
* (SQ213.B.1, SQ214.B.1, SQ215.B.1)

FOOTING phrase

TOP phrase

BOTTOM phrase

The VALUE OF clause	IV-19
implementor-name IS data-name	
implementor-name IS data-name series	

Procedure Division

The CLOSE statement	IV-20
NO REWIND, REMOVAL, or LOCK	
file-name series	
The OPEN statement.	IV-24
INPUT	
REVERSED	
NO REWIND	
OUTPUT	
NO REWIND	
EXTEND	
file-name series	
INPUT, OUTPUT, I-O, and EXTEND series	
The USE statement	IV-32
EXCEPTION/ERROR PROCEDURE ON file-name series	
EXCEPTION/ERROR PROCEDURE ON EXTEND	
The WRITE statement	IV-34
BEFORE/AFTER identifier LINES	
BEFORE/AFTER mnemonic-name	
AT END-OF-PAGE imperative-statement	

2.7 RELATIVE I-O LEVEL 1

Language Concepts	
User-defined words.	I-76
file-name	
record-name	
I-O status.	V-2
Environment Division	
The FILE-CONTROL paragraph.	V-5
The file control entry.	V-5
SELECT clause	
ASSIGN TO implementor-name clause	
ORGANIZATION IS RELATIVE clause	
ACCESS MODE clause	
SEQUENTIAL	
RANDOM	
FILE STATUS clause	
The I-O-CONTROL paragraph	V-7
RERUN clause	
SAME AREA clause	
SAME AREA series	
Data Division	
File Section.	V-10
The file description entry.	V-11
The record description entry.	V-10
The BLOCK CONTAINS clause	V-12
integer CHARACTERS	
integer RECORDS	
The DATA RECORDS clause.	V-13
data-name	
data-name series	
The LABEL RECORDS clause.	V-14
STANDARD	
OMITTED	
The RECORD CONTAINS clause.	V-15
integer-1 TO integer-2 CHARACTERS	
The VALUE OF clause	V-16
implementor-name IS literal	
implementor-name IS literal series	
Procedure Division	
The CLOSE statement	V-17
WITH LOCK	
file-name series	
The DELETE statement.	V-19
INVALID KEY phrase	
The OPEN statement.	V-20
INPUT	
OUTPUT	
I-O	
file-name series	
INPUT, OUTPUT, and I-O series	
The READ statement.	V-23
INTO identifier	
AT END phrase	

INVALID KEY phrase	
The REWRITE statement	V-26
FROM identifier	
INVALID KEY phrase	
The USE statement	V-30
EXCEPTION/ERROR PROCEDURE	
ON file-name	
ON INPUT	
ON OUTPUT	
ON I-O	
The WRITE statement.	V-32
FROM identifier	
INVALID KEY phrase	

2.8 RELATIVE I-O LEVEL 2

All elements of 1 REL 0,2 are a part of 2 REL 0,2

Environment Division

The FILE-CONTROL paragraph.	V-5
The file control entry.	V-5
SELECT clause	
RESERVE integer AREA(S) clause	
ACCESS MODE IS DYNAMIC clause	
The I-O-CONTROL paragraph	V-7
SAME RECORD AREA	
SAME RECORD AREA entries	

Data Division

The file description entry.	V-11
The BLOCK CONTAINS clause	V-12
integer-1 TO integer-2 RECORDS	
integer-1 TO integer-2 CHARACTERS	
The VALUE OF clause	V-16
implementor-name IS data-name	
implementor-name IS data-name entries	

Procedure Division

The READ statement.	V-23
NEXT RECORD	
The START statement	V-28
KEY IS phrase	
INVALID KEY phrase	
The USE statement	V-30
EXCEPTION/ERROR PROCEDURE	
ON file-name series	

2.9 INDEXED I-O LEVEL 1

Language Concepts	
User-defined words.	I-76
file-name	
record-name	
I-O status.	VI-2
Environment Division	
The FILE-CONTROL paragraph.	VI-5
The file control entry.	VI-5
SELECT clause	
ASSIGN TO implementor-name clause	
ORGANIZATION IS INDEXED clause	
ACCESS MODE clause	
SEQUENTIAL	
RANDOM	
RECORD KEY clause	
FILE STATUS clause	
The I-O-CONTROL paragraph	VI-8
RERUN clause	
SAME AREA clause	
SAME AREA series	
Data Division	
File Section.	VI-11
The file description entry.	VI-12
The record description entry.	VI-11
The BLOCK CONTAINS clause	VI-13
integer CHARACTERS	
integer RECORDS	
The DATA RECORDS clause	VI-14
data-name	
data-name series	
The LABEL RECORDS clause.	VI-15
STANDARD	
OMITTED	
The RECORD CONTAINS clause.	VI-16
integer-1 TO integer-2 CHARACTERS	
The VALUE OF clause	VI-17
implementor-name IS literal	
implementor-name IS literal series	
Procedure Division	
The CLOSE statement	VI-18
WITH LOCK	
file-name series	
The DELETE statement.	VI-20
INVALID KEY phrase	
The OPEN statement.	VI-21
INPUT	
OUTPUT	
I-O	
file-name series	
INPUT, OUTPUT, and I-O series	
The READ statement.	VI-24
INTO identifier	

AT END phrase
 INVALID KEY phrase
 The REWRITE statement VI-28
 FROM identifier
 INVALID KEY phrase
 The USE statement VI-32
 EXCEPTION/ERROR PROCEDURE
 ON file-name
 ON INPUT
 ON OUTPUT
 ON I-O
 The WRITE statement VI-33
 FROM identifier
 INVALID KEY phrase

2.10 INDEXED I-O LEVEL 2

All elements of 1 INX 0,2 are a part of 2 INX 0,2

Environment Division

The FILE-CONTROL paragraph	VI-5
The file control entry	VI-5
SELECT clause	
RESERVE integer AREA(S) clause	
ACCESS MODE IS DYNAMIC clause	
ALTERNATE RECORD KEY clause	
WITH DUPLICATES phrase	
The I-O-CONTROL paragraph.	VI-8
SAME RECORD clause	
SAME RECORD AREA series	

Data Division

The file description entry	VI-12
The BLOCK CONTAINS clause.	VI-13
integer-1 TO integer-2 RECORDS	
integer-1 TO integer-2 CHARACTERS	
The VALUE OF clause.	VI-17
implementor-name IS data-name	
implementor-name IS data-name series	

Procedure Division

The READ statement	VI-24
KEY IS phrase	
NEXT RECORD	
The START statement.	VI-30
KEY IS phrase	
INVALID KEY phrase	
The USE statement.	VI-32
EXCEPTION/ERROR PROCEDURE	
ON file-name series	

2.11 SORT-MERGE LEVEL 1

Language Concepts	
User-defined words.	I-76
file-name	
Environment Division	
The FILE-CONTROL paragraph.	VII-2
The file control entry.	VII-2
SELECT clause	
ASSIGN TO implementor-name clause	
Data Division	
File Section.	VII-5
The sort-merge file description entry	VII-5
The DATA RECORDS clause	VII-6
The RECORD CONTAINS clause.	VII-7
Procedure Division	
The RELEASE statement	VII-12
FROM phrase	
The RETURN statement.	VII-13
INTO phrase	
AT END phrase	
The SORT statement (only one SORT statement, a STOP RUN statement, and any associated input-output procedures allowed in the nondeclarative portion of a program)	VII-14
KEY data-name	
data-name series	
ASCENDING series	
DESCENDING series	
mixed ASCENDING/DESCENDING	
INPUT PROCEDURE phrase	
THRU	
USING phrase	
OUTPUT PROCEDURE phrase	
THRU	
GIVING phrase	

2.12 SORT-MERGE LEVEL 2

All elements of 1 SRT 0,2 are a part of 2 SRT 0,2

Environment Division

The FILE-CONTROL paragraph.	VII-2
The file control entry.	VII-2
SELECT clause	
The I-O-CONTROL paragraph	VII-3
SAME RECORD AREA clause	
SAME SORT/SORT-MERGE AREA clause	
SAME series	

Procedure Division

The MERGE statement	VII-8
KEY data-name	
data-name series	
ASCENDING series	
DESCENDING series	
mixed ASCENDING/DESCENDING	
COLLATING SEQUENCE phrase	
USING phrase	
OUTPUT PROCEDURE phrase	
THRU	
GIVING phrase	
The SORT statement (multiple SORT statements are permitted).	VII-14
COLLATING SEQUENCE phrase	

2.13 REPORT WRITER LEVEL 1

Language Concept

User-defined words	I-76
file-name	
report-name	
Special registers	I-80
LINE-COUNTER	VIII-1
PAGE-COUNTER	VIII-1

Data Division

Report Section	VIII-2
The file description entry	VIII-3
The report description entry	VIII-4
The report group description entry	VIII-6
The BLOCK CONTAINS clause	VIII-24
The CODE clause	VIII-25
The CODE-SET clause	VIII-26
The COLUMN NUMBER clause	VIII-27
The CONTROL clause	VIII-28
data-name	
data-name series	
FINAL	
FINAL data-name series	
The data-name clause	VIII-30
The GROUP INDICATE clause	VIII-31
The LABEL RECORDS clause	VIII-32
The LINE NUMBER clause	VIII-33
integer	
NEXT PAGE	
PLUS integer	
The NEXT GROUP clause	VIII-35
integer	
PLUS integer	
NEXT PAGE	
The PAGE clause	VIII-36
integer LINES	
HEADING	
FIRST DETAIL	
LAST DETAIL	
FOOTING	
The PICTURE clause	II-18
The RECCRD CONTAINS clause	VIII-39
The REPORT clause	VIII-40
report-name series	
The SOURCE clause	VIII-41
The SUM clause	VIII-42
UPON data-name series	
RESET phrase	
The TYPE clause	VIII-45
REPORT HEADING (RH)	
PAGE HEADING (PH)	
CONTROL HEADING (CH)	
DETAIL (DE)	
CONTROL FOOTING (CF)	
PAGE FOOTING (PF)	
REPORT FOOTING (RF)	

The VALUE IS clause	II-36
The VALUE OF clause	VIII-50
Procedure Division	
The GENERATE statement	VIII-51
report-name	
data-name	
The INITIATE statement	VIII-52
report-name	
The SUPPRESS statement	VIII-54
report-name	
The TERMINATE statement	VIII-55
report-name series	
The USE statement	VIII-56
BEFORE REPORTING	

2.14 SEGMENTATION LEVEL 1

Language Concepts

User-defined words. I-76
segment-number

Procedure Division

Segment-numbers IX-4
Fixed segment-number range 0 through 49
Non-fixed segment-number range 50 through 99
All sections with the same segment-number must
be together in the source program

2.15 SEGMENTATION LEVEL 2

All elements of 1 SEG 0,2 are a part of 2 SEG 0,2

Environment Division

The OBJECT-COMPUTER paragraph

SEGMENT-LIMIT. IX-5

Procedure Division

Segment-numbers IX-4

Sections with the same segment-number need not
be physically contiguous in the source program

2.16 LIBRARY LEVEL 1

Language Concepts

User-defined words I-76
text-name

All divisions

The COPY statement X-2

2.17 LIBRARY LEVEL 2

All elements of 1 LIB 0,2 are a part of 2 LIB 0,2

Language Concepts

User-defined words I-76
library-name

All divisions

The COPY statement X-2
OF library-name
REPLACING phrase

2.18 DEBUG LEVEL 1

Language Concepts

Special registers.	I-80
DEBUG-ITEM.	XI-1

Environment Division

The SOURCE-COMPUTER paragraph WITH DEBUGGING MODE clause.	XI-3
--	------

Procedure Division

USE FOR DEBUGGING statement.	XI-4
procedure-name	
procedure-name series	
ALL PROCEDURES	
Debugging lines.	XI-10

2.19 DEBUG LEVEL 2

All elements of 1 DEB 0,2 are a part of 2 DEB 0,2

Procedure Division

USE FOR DEBUGGING statement. XI-4

ALL REFERENCES OF identifier series

file-name series

cd-name series

2.20 INTER-PROGRAM COMMUNICATIONS LEVEL 1

Data Division	
Linkage Section.	XII-2
Procedure Division	
Procedure Division header.	XII-4
USING phrase	
The CALL statement	XII-5
literal	
USING data-name series	
The EXIT PROGRAM statement	XII-8

2.21 INTER-PROGRAM COMMUNICATIONS LEVEL 2

All elements of 1 IPC 0,2 are a part of 2 IPC 0,2

Procedure Division

The CALL statement.	XII-5
identifier	
ON OVERFLOW phrase	
The CANCEL statement.	XII-7

2.22 COMMUNICATION LEVEL 1

 * The COMMUNICATION Module is not currently evaluated as
 * part of an official validation. See Section 1.9.3.

Language Concepts

User-defined words. I-76
 cd-name

Data Division

Communication Section XIII-2
 The communication description entry XIII-3
 FOR INPUT clause
 END KEY
 MESSAGE COUNT
 MESSAGE DATE
 MESSAGE TIME
 SYMBOLIC QUEUE
 SYMBOLIC SOURCE
 SYMBOLIC SUB-QUEUE-n
 STATUS KEY
 TEXT LENGTH
 FOR OUTPUT clause
 DESTINATION COUNT
 DESTINATION TABLE
 INDEXED BY
 ERROR KEY
 SYMBOLIC DESTINATION
 STATUS KEY
 TEXT LENGTH

Procedure Division

The ACCEPT MESSAGE COUNT statement. XIII-12
 The DISABLE statement XIII-13
 INPUT
 OUTPUT
 KEY identifier/literal
 The ENABLE statement. XIII-15
 INPUT
 OUTPUT
 KEY identifier/literal
 The RECEIVE statement XIII-17
 MESSAGE
 INTO identifier
 NO DATA phrase
 The SEND statement. XIII-20
 FROM identifier-1 WITH
 WITH EMI
 WITH EGI
 BEFORE/AFTER ADVANCING
 identifier-? LINES
 integer LINES
 mnemonic-name
 PAGE

2.23 COMMUNICATION LEVEL 2

* The COMMUNICATION Module is not currently evaluated as
* part of an official validation. See Section 1.9.3.

All elements of 1 CCM 0,2 are a part of 2 CCM 0,2

Communication Section

The communication description entry. XIII-3
FOR INPUT
INITIAL

Procedure Division

The DISABLE statement. XIII-13
INPUT
TERMINAL

The ENABLE statement XIII-15
INPUT
TERMINAL

The RECEIVE statement. XIII-17
SEGMENT

The SEND statement XIII-20
FROM identifier-1
WITH identifier-2
WITH ESI

SECTION 3. COMPILER STATUS

3.1 Federal Standard COBOL

Section 1.5 explains the four levels of Federal Standard COBOL and their relation to American National Standard COBOL. This section lists the discrepancies described in Section 2 by the Federal level in which the problem occurs. All errors listed for a lower level are also errors in any higher level, even though they are listed only in the lower level. The paragraph number from Section 2 is used to reference the errors in each Federal level.

3.1.1 Low Level

- 2.1.1 "COPY" parsed in comment-entries.
- 2.1.2 PICTURE AB9 flagged as erroneous.
- 2.1.3 DISPLAYs of numeric items were edited.
- 2.1.4 Quote mark not output by STOP QUOTE.
- 2.5.1 Run-time loop in program with CODE-SET clause.

3.1.2 Low-Intermediate Level

None

3.1.3 High-Intermediate

- 2.2.1 Comment-entry not removed from DATE-COMPILED paragraph.
- 2.6.1 LINES AT BOTTOM ignored.

3.1.4 High Level

None

3.2 American National Standard COBOL

Full American National Standard COBOL consists of the entire set of language elements defined in the ANSI COBOL standard (refer to 1.7). It is also the equivalent of high level Federal Standard COBOL plus the Report Writer module. Therefore, this section lists only those discrepancies found while validating the Report Writer Module.

None

SECTION 4. SOFTWARE ENVIRONMENT

The compiler referenced in this document was validated using the software environment described in this section. When using a modification of the described environment, the compiler may or may not continue to conform to the Standard. It should be noted that during the validation process, an attempt is made to validate as many different options as possible.

The use of compiler options, implementor-names in the Environment Division and any form of optimization which is not described in this report could cause the compiler to produce a program that does not perform according to the specifications of Standard COBOL. Only the environment described in this document has been used with this compiler to satisfy the requirements of FIPS PUB 21-1 and FPMR 101-32.1305.1a. (Any deviations which must be corrected as per the referenced FPMR are described in Sections 2 and 3 of this report.)

1. Options or parameters used on the processor call statement for the compiler: The following options/parameters were used during the validation.

Options specified: E=LG01 (disposition of binary output)
DE=B (produce binary regardless of errors)
CPY (compile all COPY statements)
X=COLIB (name of library file)
SB (compile as a subprogram)
(Not all options were used for all programs)

2. Environment Division implementor-names.

Printer destined files

'OUTPUT' USE 'PRINTF=YES'.

Tape files

For single-file reels:

TAPEnn (where n is a numeric digit)

For multi-file reels:

MULTION

Sequential Mass-storage files

Single-unit:

MSDISCn

Multi-unit:

UNITnn

Relative I-O files

RELn

Indexed I-O files

ISFILEn INDEXn

Sort files

SORTFLn

Switch names

SWITCH-1

SWITCH-2

Source Computer name

CYBER-170

Object Computer name

CYBER-170

3. Optimization. The compiler may or may not have optimization features. If optimization is available by option, it was used during the validation process (during a separate execution of the Compiler Validation System) to determine if its use causes the compiler to produce a program which does not give the expected results. If the optimization is invoked through the compiler call statement then it is mentioned in paragraph 1 above. If it is invoked through the introduction of syntax in other than the Data and Procedure Divisions of the source program it is shown below. Optimization which would require modification to the Data and Procedure Divisions is not considered in this report in that it is beyond the scope of the use of standard COBOL and the validation process.

There is no specific optimization option for this compiler.

4. Compiler.

Control Data Corporation, COBOL 5.1, Release Level 460 using SORT 4.5, Release Level 460.

5. Operating system.

Control Data Corporation, NOS/BE 1.2, Release Level 454

SECTION 5. ASCII VALIDATION

5.1 Purpose of ASCII Validation

The ASCII Validation is performed by running a sequence of three CCVS74 programs (SQ118, SQ119, SQ120) using special procedures. The purpose of this special run is to validate that the compiler/operating system being tested is capable of processing ASCII code represented on magnetic tape and punched cards that were produced (in accordance with the appropriate American National Standard) by another system. There is also a magnetic tape and a card file created during the validation which will be taken to another system for further processing. The purpose is to determine whether the compiler/operating system being tested can also produce ASCII representation on magnetic tape and punched cards which can be processed by a another computer system.

5.2 Applicable ANSI Standards

The ASCII Validation is based on several American National Standards and presumes their support by the compiler/operating system being validated. These are:

1. American National Standard Programming Language COBOL X3.23-1974
 - The CODE-SET clause is used to read and write the ASCII files.
 - The PROGRAM COLLATING SEQUENCE clause is used to process the data in ASCII mode as well as native mode.
 - The SIGN...SEPARATE clause is used for signed data and all data is in the DISPLAY (character) mode.
2. American National Standard Code for Information Interchange (ASCII) X3.4-1968. (Note that this describes the code, not the labeling and tape recording formats.)
3. American National Standard Hollerith Punched Card Code, X3.26-1970.
4. American National Standard Magnetic Tape Labels for Information Interchange, X3.27-1969.
5. American National Standard Recorded Magnetic Tape for Information Interchange (800 CPI, NZRI), X3.22-1967.
6. American National Standard Recorded Magnetic Tape for Information Interchange (1600 CPI, PR), X3.39-1973.

The language of the 1974 COBOL Standard provides the capability to accept, process, and produce ASCII code. The ASCII Standard describes the code insofar as the bit arrangement and configuration, but does not address recording techniques, record formats or any labeling scheme. The 800 CPI, NZRI magnetic tape recording standard was used to establish the recording density and techniques. (1600 CPI, PE based on X3.39-1973 "Recorded Magnetic Tape for Information Interchange" could be used under special arrangements.) The tape labeling scheme used in these tests is based on X3.27-1969 but is also compatible with the

revision to that tape label standard. Only the VOL1, HDR1, and EOF1 labels are used. The records are fixed length and unblocked.

5.3 ASCII Validation Process

During the validation, the Validation Manager for the Federal COPOL Compiler Testing Service uses the ASCII-encoded magnetic tape and card files in addition to the normal tape files associated with a validation. For the ASCII portion of the validation the following steps are performed:

1. The tape file and card deck (produced on another computer system) are used as input to several programs designed to validate whether the system being validated can accept and process the data as defined by the respective standards. Any changes made during this validation to the source programs reading the data are noted below in 5.4.1.
2. A tape file and card file are produced during the validation which should prove to be identical to the files described in 1 above. These two files are then processed on a different computer system to determine the degree to which the system being validated supports the ASCII standard. Any changes made during this validation to the source program producing the data are noted below in 5.4.2.

5.4 Results for This Validation

1. The CYBER 74 system was able to successfully process both the ANSI-labeled magnetic tape and the Hollerith card deck (both with ASCII code representations). No program modifications were necessary.
2. The CYBER 74 system produced both an ANSI labeled magnetic tape and a Hollerith card deck, which were verified later on a foreign system as being correct in ANSI format and ASCII character set. No program modifications were necessary.

APPENDIX A

VALIDATION SUMMARY WORKING DOCUMENT

A-1 This appendix is a working paper produced during the validation and documents the results of the compilation and execution of each of the programs comprising the CCVS. The results contained herein are based on the use of the compiler within the Validation Environment identified in this appendix. This appendix (Validation Summary Working Document) is not part of the official Validation Summary Report (VSR) and is not intended to reflect in any way the compiler's usefulness or degree of conformance to the language specifications.

The reader of this appendix should keep in mind that the same problem area may appear in more than one program, but is considered only as one single discrepancy and as such is reflected only once in the body of the VSR. (The VSR will in turn only reference the first occurrence of the problem in the appendix.)

The reference documents for COBOL are American National Standard Programming Language COBOL (X3.23-1974), and Federal Standard COBOL (FIPS PUB 21-1).

VALIDATION ENVIRONMENT

COMPILER IDENTIFICATION:	COBOL 5.1, Release Level 460 with SORT 4.5, Release Level 460
COMPUTER SYSTEM:	Control Data Corporation, CYBER 74, SN108 Dual CPU 265K extended core storage 667 and 669 tape drives 844 single and double density disks 131K memory with 20 PPUs
OPERATING SYSTEM:	NOS/BE 1.2, Release Level 454

COMMUNICATION LEVEL 1 and LEVEL 2

No Communication programs were run. See Section 1.9.3.

DEBUG MODULE Level 1

DB101 thru DB105

A. Compilation:

No errors.

B. Execution:

1. Some line number values in the DEBUG-LINE register were off-target by one line, presumably a result of the parser design employed by the compiler.

DEBUG MODULE LEVEL 2

DB201 thru DB204

A. Compilation:

No errors.

B. Execution:

1. Some line number values in the DEBUG-LINE register were off-target by one line, presumably a result of the parser design employed by the compiler.

INTER-PROGRAM COMMUNICATION MODULE Level 1

IC101 thru IC115

A. Compilation:

No errors.

B. Execution:

No failures.

IC151 thru IC152

A. Compilation:

No errors.

B. Execution:

No failures.

INTER-PROGRAM COMMUNICATION MODULE Level 2

IC201 thru IC208

A. Compilation:

No errors.

B. Execution:

No failures.

INDEXED I-O MODULE Level 1

IX101 thru IX107

A. Compilation:

No errors.

B. Execution:

No failures.

INDEXED I-O MODULE Level 2

IX201 thru IX208

A. Compilation:

No errors.

B. Execution:

No failures.

LIBRARY MODULE Level 1

LB101 thru LB107

A. Compilation:

No errors.

B. Execution:

No failures.

LIBRARY MODULE Level 2

LB201 thru LB207

A. Compilation:

1. In programs LB201 through LB205, the contiguous characters, C, O, P, Y; located in comment-entries in the Identification Division, were parsed and treated as a COPY verb; e.g.,

SECURITY.
NONE.

THIS PROGRAM TESTS THE OUTPUT OF PROGRAM LB201 TO ASSURE PROPER EXECUTION OF COPY REPLACING OF FD AND RELATED 01 ENTRIES FOR A SEQUENTIAL FILE.

was flagged by the fatal diagnostic:

1308 THIS COPY STATEMENT IS IN ERROR.

By using a compiler option to ignore the errors, no problem was presented. The programs compiled and executed successfully.

B. Execution:

No failures.

NUCLEUS MODULE Level 1

NC101 thru NC108

A. Compilation:

No errors.

B. Execution:

No failures.

NC109

A. Compilation:

No errors.

B. Execution:

1. The statement, "STOP QUOTE." failed to display a quote mark (or other character) on the operator's CRT.

2. In tests of the "DISPLAY" verb, whenever a numeric data item was DISPLAYed and the item contained a value whose representation within the described field would require a leading zero, the DISPLAY edited the output by suppressing the leading zero and inserting an additional space (reserved for minus sign, if required).

PICTURE 9(10) VALUE 0123456789.

DISPLAYed as:

bb123456789

NC110 thru NC113

A. Compilation:

No errors.

B. Execution:

No failures.

NC114

A. Compilation:

1. The following Data Division entry:

01 PIC-SYNTAX-TEST-19 PIC AB9.

was flagged with the fatal error:

2011 AN ALPHANUMERIC EDIT PICTURE MUST CONTAIN AT LEAST ONE -X-

AND -B-, OR -X- AND -O-, OR -X- AND -/-, OR -A- AND -O-, OR
-A- AND -/-.

By using a compiler option to ignore the errors, no problem was presented, as no program procedure references this entry.

B. Execution:

No failures.

NC115 thru NC120

A. Compilation:

No errors.

B. Execution:

No failures.

NC151 thru NC157

A. Compilation:

No errors.

B. Execution:

No failures.

NC158

A. Compilation:

No errors.

B. Execution:

The same two errors that appeared in the execution of NC109 appeared for NC158 also.

NC159 thru NC165

A. Compilation:

No errors.

B. Execution:

No failures.

NUCLEUS MODULE Level 2

NC201 and NC202

A. Compilation:

No errors.

B. Execution:

No failures.

NC203

A. Compilation:

1. In the DATE-COMPILED paragraph in the IDENTIFICATION DIVISION, the compiler did insert the current date, but did not remove the existing comment-entry as required by paragraph 2.4.4 on page II-4 of the standard.

B. Execution:

No failures.

NC204

A. Compilation:

No errors.

B. Execution:

Error NC109.B.2 (see NC109) appeared for NC204 also.

NC205 thru NC218

A. Compilation:

No errors.

B. Execution:

No failures.

RELATIVE I-O MODULE Level 1

RL101 thru RL109

A. Compilation:

No errors.

B. Execution:

No failures.

RL151 thru RL153

A. Compilation:

No errors.

B. Execution:

No failures.

RELATIVE I-O MODULE Level 2

RL201 thru RL205

A. Compilation:

No errors.

B. Execution:

No failures.

REPORT WRITER MODULE Level 1

RW101 thru RW104

A. Compilation:

No errors.

B. Execution:

No failures.

SEGMENTATION MODULE Level 1

SG101 thru SG106

A. Compilation:

No errors.

B. Execution:

No failures.

SEGMENTATION MODULE Level 2

SG201 thru SG204

A. Compilation:

No errors.

B. Execution:

No failures.

SEQUENTIAL I-O MODULE Level 1

SQ101 thru SQ110

A. Compilation:

No errors.

B. Execution:

No failures.

SQ111

A. Compilation:

No errors.

B. Execution:

1. The object program hung in a loop at some point after the completion of CODE-TEST-1, at which a sequential file containing 595 155-character records had been created. This file employs a CODE-SET clause in its File Description entry which is equated through SPECIAL-NAMES to the STANDARD-1 set. The loop was apparently encountered while attempting to re-OPEN and READ the file which had just been created and CLOSED.

SQ112 thru SQ121

A. Compilation:

No errors.

B. Execution:

No failures.

SQ151 thru SQ153

A. Compilation:

No errors.

B. Execution:

No failures.

SEQUENTIAL I-O Level 2

SQ201 thru SQ212

A. Compilation:

No errors.

B. Execution:

No failures.

SQ213 thru SQ215

A. Compilation:

No errors.

B. Execution:

1. In these programs, which test the LINAGE clause, the LINAGE values were honored in determining the number of detail lines to be printed on each logical page, but the LINES AT BOTTOM values were ignored and the logical page size defaulted to the size of the physical printer page.

SQ216 thru SQ218

A. Compilation:

No errors.

B. Execution:

No failures.

SORT-MERGE MODULE Level 1

ST101 thru ST117

A. Compilation:

No errors.

B. Execution:

No failures.

SORT-MERGE MODULE Level 2

ST201 thru ST215

A. Compilation:

No errors.

B. Execution:

No failures.

TABLE HANDLING MODULE Level 1

TH101 thru TH111

A. Compilation:

No errors.

B. Execution:

No failures.

TH151 and TH152

A. Compilation:

No errors.

B. Execution:

No failures.

TABLE HANDLING MODULE Level 2

TH201 thru TH220

A. Compilation:

No errors.

B. Execution:

No failures.